



We put space to work.

Item # _____

Job _____

Super Adjustable Super Erecta® Starter and Add-on Units.

Super Adjustable Super Erecta® Wire Shelving is the most advanced and innovative wire storage system available.

- **Starter Units:** Include Chrome-plated & Metroseal 3 shelves and (4) posts under one easy-to-order model number.
- **Add-on Units:** Include (2) posts, shelves, and S-hooks to connect a unit end-to-end under or at a right angle. One easy-to-order model number.
- **Corner (Right Angle) Units:** allow easy access to the shelf contents by eliminating a front post.
- **Maximum Space Utilization:** The Corner Release System encourages repositioning of shelves during initial assembly to reclaim wasted vertical space. In some cases, reclaimed vertical space will allow an extra shelving tier to be added to the storage unit resulting in a 25% increase in storage capacity!
- **Easily Assembled:** The unique Corner Release System enables quick and easy repositioning of shelves during the initial set up to accommodate different package or container sizes. "Total Assembly" is complete only after the shelves are properly spaced to maximize storage. SiteSelect™ Posts, with the double-groove visual guide feature, have circular grooves at 1" (25mm) increments and are numbered at 2" (51mm) intervals to easily identify proper shelf locations.
- **Easily Adjustable:** The unique shelf design and SiteSelect™ Posts enable "tool-free", quick adjustment at 1" (25mm) increments along the entire height of the post.
- **Strong:** Super Adjustable™ shelves hold as much weight as traditional Super Erecta wire shelving. Stationary units hold a maximum of 2,000 lb. (910kg). Maximum weight capacity per shelf evenly distributed: (48" [1219mm] or shorter = 800 lb. [363kg]; longer than 48" [1219mm] = 600 lb. [272kg])
- **Choice of Finishes:** Chrome-plated for dry storage; Metroseal 3™ with antimicrobial product protection for wet or corrosive environments.
- **Accessories:** Compatible with the entire system of Super Erecta shelves and accessories. See Catalog Sheets 10.04, 10.05, 10.06 for more information.



Starter Unit



Starter Unit

Add-on Unit



All Metro Catalog Sheets are available on our website: www.metro.com



InterMetro Industries Corporation
 North Washington Street, Wilkes-Barre, PA 18705
 Product Information. U.S. and Canada: 1.800.992.1776
 Outside U.S. and Canada: www.metro.com/contactus

L02-210 Printed in U.S.A. 11/19

Information and specifications are subject to change without notice. Please confirm at time of order.

Copyright © 2019 InterMetro Industries Corp.



Super Adjustable Super Erecta® Starter & Add-on Units

10.91




Super Adjustable Super Erecta® Starter & Add-on Units



Shelving Starter and Add-On Units

- Starter Units consist of four posts and indicated number of Super Adjustable Super Erecta shelves.
- Add-On Units consist of two posts, indicated number of shelves, and two "S" Hooks per shelf, for attaching shelf to adjacent unit.



Easy Order — Chrome Finish

Chrome Four-Tier Unit with 63" posts

Nominal Width/Length (in.) (mm)	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Starter Unit	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Add-On Unit
18x24 457x610	42 19.1	A316C	35 15.9	AA316C
18x30 457x760	47 21.3	A326C	40 18.1	AA326C
18x36 457x914	53 24.0	A336C	46 20.9	AA336C
18x42 457x1060	57 25.9	A346C	50 22.7	AA346C
18x48 457x1219	63 28.6	A356C	56 25.4	AA356C
18x60 457x1524	82 37.2	A366C	75 34.0	AA366C
18x72 457x1829	94 42.6	A376C	87 39.5	AA376C
21x24 530x610	46 20.9	A416C	39 17.7	AA416C
21x30 530x760	52 23.6	A426C	45 20.4	AA426C
21x36 530x914	59 26.8	A436C	52 23.6	AA436C
21x42 530x1060	65 29.5	A446C	58 26.3	AA446C
21x48 530x1219	71 32.2	A456C	64 29.0	AA456C
21x60 530x1524	88 39.9	A466C	81 36.7	AA466C
21x72 530x1829	98 44.5	A476C	92 41.7	AA476C
24x24 610x610	50 22.7	A516C	43 19.5	AA516C
24x30 610x760	57 25.9	A526C	50 22.7	AA526C
24x36 610x914	65 29.5	A536C	58 26.3	AA536C
24x42 610x1060	72 32.7	A546C	65 29.5	AA546C
24x48 610x1219	79 35.8	A556C	72 32.7	AA556C
24x60 610x1524	98 44.5	A566C	91 41.3	AA566C
24x72 610x1829	120 54.4	A576C	113 51.3	AA576C

Chrome Five-Tier Unit with 74" posts

Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Starter Unit	Approx. Pkd. Wt. (lbs.) (kg)	Cat. No. Add-On Unit
51 23.1	5A317C	43 19.5	5AA317C
58 26.3	5A327C	50 22.7	5AA327C
65 29.5	5A337C	57 25.9	5AA337C
70 31.8	5A347C	62 28.1	5AA347C
78 35.4	5A357C	70 31.8	5AA357C
102 46.3	5A367C	93 42.2	5AA367C
117 53.1	5A377C	108 49.0	5AA377C
57 25.9	5A417C	48 21.8	5AA417C
64 29.0	5A427C	56 25.4	5AA427C
73 33.1	5A437C	65 29.5	5AA437C
81 36.7	5A447C	73 33.1	5AA447C
88 39.9	5A457C	80 36.3	5AA457C
109 49.4	5A467C	101 45.8	5AA467C
122 55.3	5A477C	113 51.3	5AA477C
62 28.1	5A517C	53 24.0	5AA517C
71 32.2	5A527C	62 28.1	5AA527C
81 36.7	5A537C	73 33.1	5AA537C
89 40.4	5A547C	81 36.7	5AA547C
98 44.5	5A557C	90 40.8	5AA557C
122 55.3	5A567C	113 51.3	5AA567C
149 67.6	5A577C	141 64.0	5AA577C

Actual Dimensions: Width: Add 1/8" (3.2mm) to nominal size. Length: Subtract 1/8" (3.2mm) from nominal size.

Job _____



Super Adjustable Super Erecta® Starter & Add-on Units

We put space to work.

Easy Order — MetroSeal 3™ Finish PROTECTION THAT LIVES ON **MICROBAN**

MetroSeal 3™ Four-Tier Unit with 63" posts						MetroSeal™ 3 Five-Tier Unit with 74" posts							
Nominal Width/Length (in./mm)		Approx. Pkd. Wt. (lbs./kg)		Cat. No. Starter Unit	Approx. Pkd. Wt. (lbs./kg)	Cat. No. Add-On Unit	Approx. Pkd. Wt. (lbs./kg)		Cat. No. Starter Unit	Approx. Pkd. Wt. (lbs./kg)	Cat. No. Add-On Unit		
18x24	457x610	42	19.1	A316K3	35	15.9	AA316K3	51	23.1	5A317K3	43	19.5	5AA317K3
18x30	457x760	47	21.3	A326K3	40	18.1	AA326K3	58	26.3	5A327K3	50	22.7	5AA327K3
18x36	457x914	53	24.0	A336K3	46	20.9	AA336K3	65	29.5	5A337K3	57	25.9	5AA337K3
18x42	457x1060	57	25.9	A346K3	50	22.7	AA346K3	70	31.8	5A347K3	62	28.1	5AA347K3
18x48	457x1219	63	28.6	A356K3	56	25.4	AA356K3	78	35.4	5A357K3	70	31.8	5AA357K3
18x60	457x1524	82	37.2	A366K3	75	34.0	AA366K3	102	46.3	5A367K3	93	42.2	5AA367K3
18x72	457x1829	94	42.6	A376K3	87	39.5	AA376K3	117	53.1	5A377K3	108	49.0	5AA377K3
21x24	530x610	46	20.9	A416K3	39	17.7	AA416K3	57	25.9	5A417K3	48	21.8	5AA417K3
21x30	530x760	52	23.6	A426K3	45	20.4	AA426K3	64	29.0	5A427K3	56	25.4	5AA427K3
21x36	530x914	59	26.8	A436K3	52	23.6	AA436K3	73	33.1	5A437K3	65	29.5	5AA437K3
21x42	530x1060	65	29.5	A446K3	58	26.3	AA446K3	81	36.7	5A447K3	73	33.1	5AA447K3
21x48	530x1219	71	32.2	A456K3	64	29.0	AA456K3	88	39.9	5A457K3	80	36.3	5AA457K3
21x60	530x1524	88	39.9	A466K3	81	36.7	AA466K3	109	49.4	5A467K3	101	45.8	5AA467K3
21x72	530x1829	98	44.5	A476K3	92	41.7	AA476K3	122	55.3	5A477K3	113	51.3	5AA477K3
24x24	610x610	50	22.7	A516K3	43	19.5	AA516K3	62	28.1	5A517K3	53	24.0	5AA517K3
24x30	610x760	57	25.9	A526K3	50	22.7	AA526K3	71	32.2	5A527K3	62	28.1	5AA527K3
24x36	610x914	65	29.5	A536K3	58	26.3	AA536K3	81	36.7	5A537K3	73	33.1	5AA537K3
24x42	610x1060	72	32.7	A546K3	65	29.5	AA546K3	89	40.4	5A547K3	81	36.7	5AA547K3
24x48	610x1219	79	35.8	A556K3	72	32.7	AA556K3	98	44.5	5A557K3	90	40.8	5AA557K3
24x60	610x1524	98	44.5	A566K3	91	41.3	AA566K3	122	55.3	5A567K3	113	51.3	5AA567K3
24x72	610x1829	120	54.4	A576K3	113	51.3	AA576K3	149	67.6	5A577K3	141	64.0	5AA577K3

Actual Dimensions: Width: Add 1/8" (3.2mm) to nominal size. Length: Subtract 1/8" (3.2mm) from nominal size.



Replacement "S" Hook

2 are required for each storage level.
Cat. No. 9995Z



Security "S" Hook

2 are required for each storage level.
Chrome. Cat. No. H9995C
Bag of 2
Black. Cat. No. H9995B
Bag of 2