



---

# CATALOGUE

---



METRO LINE AVAILABLE AT ITECO

---

# 2026

---

[www.iteco.it](http://www.iteco.it)



# INDEX

<b>Wire Shelving</b> .....	<b>1</b>
<b>Carts</b> .....	<b>3</b>
<b>Other Accessories</b> .....	<b>4</b>
<b>TableWorx</b> .....	<b>6</b>
<b>Security Carts</b> .....	<b>9</b>
<b>Tray Carts</b> .....	<b>10</b>
<b>Top-Track System</b> .....	<b>11</b>

# WIRE SHELVING

## Metro Super Erecta Wire Shelving




The Super Erecta® wire shelving features an innovative open wire design that reduces dust buildup, promotes air circulation, and improves visibility and light penetration. Constructed from heavy-gauge carbon steel or Type 304 stainless steel, these shelves are built for durability and available in various finishes to suit different environments, including rust-resistant Metroseal™ Epoxy with Microban® protection. Their versatile design allows for numerous configurations, easy assembly without tools, and adjustable shelves at 1" intervals, making them perfect for evolving storage needs. Shelves can be accessed from all sides, maximizing space utilization, while adjustable feet ensure stability on uneven surfaces.

### Load Capacity:



- **Shelving Unit:** 900kg
- **Shelf:** 360kg (up to 1220mm wide)  
270kg (from 1525mm wide)

Code	Metro Super Erecta Wire Shelf, Chrome
1436NC	350x910mm
1448NC	350x1220mm
1836NC	455x910mm
1848NC	455x1220mm
1860NC	455x1525mm
1872NC	455x1830mm
2436NC	610x910mm
2448NC	610x1220mm
2460NC	610x1525mm
2472NC	610x1830mm



## Super Erecta SMT Reel Shelving

SMT component Reel Shelving offers an efficient method of storage and transport for standard size component reels. These Super Erecta Brite plated shelves can be mixed and matched with standard Super Erecta shelving, posts and casters to create a reel handling and storage system to address the exacting needs of PCB manufacturers. 15-reel capacity for 330mm (maximum thickness 51mm). 78-reel capacity for 180mm reels (maximum thickness 17mm).



Code	Super Erecta SMT Reel Shelf 455x910mm
R1836BR-7	for 180mm reel
R1836BR-13	for 330/380mm reel

## Stationary Posts

Equipped with an adjustable leveling bolt to stabilize on uneven floors. Height includes leveling bolt (fully tightened) and cap; bolt adjusts up to 0.5" (13mm). Foot plates can be ordered separately. Replacement parts available for leveling bolts and caps.



Code	Metro Super Erecta Stationary Post, Chrome (H)
33P	864mm
54P	1370mm
63P	1600mm
74P	1890mm
86P	2196mm



## ESD Support Feet

Designed for stable positioning and ESD protection on uneven surfaces (**Pack of 1**).

Code	Description
8104062	Adjustable ESD support feet (optional)

# CARTS



The Super Erecta® utility carts are versatile, heavy-duty solutions ideal for transporting materials in various environments. With customizable configurations of wire shelves, casters, and integrated handles, they're available in 2 or 3 shelves models and multiple sizes. Choose from three finishes: stainless steel for wet or corrosive environment, chrome for dry environment, and economical Super Erecta Brite for standard applications. Featuring a modular design for easy assembly and quick shelf adjustments, these carts offer high maneuverability and durability, with open-wire construction that maximizes airflow and visibility while minimizing dust.

**Load Capacity per Cart: 450kg**

## Mobile Posts

Suitable to casters for the assembly of wire carts.



Code	Metro Super Erecta Mobile Post, Chrome, for carts (H)
33UP	864mm
54UP	1370mm
63UP	1600mm
74UP	1890mm
86UP	2196mm

Code	Metro Super Erecta One-Piece Handle, Chrome
H3C	455x876(H)mm
H5C	610x876(H)mm



## U-Handle

Designed for easy and safe maneuvering of wire carts

### Push Handle



Code	Metro Push Handle for Erecta Wire carts, Chrome
PH18NC	for 455mm carts
PH24NC	for 610mm carts

Code	Description
5KITESD	ESD Kit with 4 casters, 125mm diameter <b>(2 with brake)</b>
BUMPSET	Set of 4 bumpers <b>(optional)</b>

### Casters



## OTHER ACCESSORIES

### Shelf Dividers

Designed for Super Erecta and Super Adjustable shelves, these sturdy, pressure-fit dividers help keep shelf contents organized. Available in 203mm and 533mm heights, they come in Chrome, Metroseal Green (K3) with Microban, Metroseal Gray (K4) with Microban, and Stainless Steel finishes.

**Note:** dividers are not stackable. For OTR applications, additional clamping may be required to secure dividers—consult Metro engineering.



Code	Shelf DIVIDER
DD18C	455x203(H)mm
DD24C	610x203(H)mm

## Side ledges

Prevent items from protruding or falling from shelves. Ledges may be stacked to form an 8" (203mm) or higher barrier. Compatible with wire shelving only.



Code	Metro Super Erecta, Stackable Ledge, Chrome
L18N-4C	455x100(H)mm
L24N-4C	610x100(H)mm
L30N-4C	760x100(H)mm

## Aluminum Split Sleeves

For high temperature, over the road, or ESD applications. Including zinc retainer rings. One bag required per shelf. 4 pairs per bag.



Code	Description
9986Z	Metro Aluminum Split Sleeves with Zinc Rings (pack of 4)

## S-Hook

Used to eliminate two posts per adjacent unit. Sold individually. Two are required per shelf.



Code	Description
9995Z	Metro S-HOOK for wire shelving

## Label Holder

This black PVC rail securely snaps onto wire shelves, providing a stable label display solution.



Code	Description
8104101	Black (no ESD) PVC rail 80mm - with yellow label


# TABLEWORX

## Metro TableWorx

The TableWorx serie is a modular platform of high-performance work tables, designed to provide fully customizable solutions. Constructed entirely from Type 304 stainless steel, these tables feature a reinforced work surface with hat channels and 90-degree turned-down edges on all sides for a sleek and functional finish.

Available in adjustable heights (ranging from 86.4 cm to 99.1 cm), these tables are ideal for both stationary setups, with leveling feet, and mobile applications, with optional caster compatibility. Additionally, accessories like backsplashes, overhead shelves, and grids allow you to optimize every inch of space, enhancing productivity and comfort.

Built to last and engineered for versatility, TableWorx are the perfect choice for professional performance and tailored solutions.



Code	TableWorx Strationary in Stainless Steel 304
TWS3060SI	762x1524mm
TWS3072SI	762x1829mm

### Accessory need to ensure ESD features

Code	Description
ESDTWS-KIT	Kit to ground the stationary TableWorx from top to feet

## Metro TableWorx Productivity Riser



Enhance the efficiency of your workspace with the Metro TableWorx Productivity Riser, designed to optimize the performance of your table.

This riser features a rear cantilevered solid overshelf made from type 304 stainless steel with a depth of 305 mm and a SmartWall grid 610 mm high, in 304 stainless steel. The SmartWall grid is compatible with a wide range of accessories, including hooks, baskets, and shelves (sold separately). Its hanging rail also doubles as a bin holder along the full length of the table.


The riser mounts at the rear of the table, staying entirely within its footprint to maximize workspace efficiency. In alternative they can be mounted in the middle of the table to create two opposite working place.

**Please note: TableWorx productivity risers are exclusively compatible with TableWorx work tables and can be easily added or removed as needed.**

Code	Grid for table, in SS304
TWR60	1524x610(H)mm
TWR72	1829x610(H)mm


A) The riser is mounted at the middle to create 2 opposite working places

B) The riser is mounted at the rear of the work table



## Metro Stainless Steel Drawers

The stainless steel drawers are crafted from 304 stainless steel, ensuring a sturdy, no-flex design. With compact dimensions and a weight capacity of up to 16 kg per drawer, they can be stacked up to 3 units high. They offer flexible mounting options: right, center or left. The drawers are easy to remove, equipped with heavy-duty ball bearing slides, and feature a flush front that aligns with the work surface. The Add-a-Drawer system allows for customized configurations.



Code	Description
TWDR6-30	Base Drawer for TableWorx 508x508x154(H)mm, in SS304
TWDR6-ADD	Additional Drawer for TableWorx 508x508x154(H)mm, in SS304

## Accessories to create a mobile work station


Code	Description
TWP27S	Post for mobile TableWorx , in SS304 <b>(requires 4 x table)</b>
5KITESD	ESD Kit with 4 casters, 125mm diameter <b>(2 with brake)</b>
BUMPSET	Set of 4 bumpers <b>(optional)</b>
ESDTWM-KIT	Kit to ground the mobile TableWorx from top to caster



# SECURITY CARTS

## Metro Mobile Security Shelving


Super Erecta® security units provide safe storage and protect valuable materials and sensitive items from theft or loss. The heavy-gauge open wire construction ensures full visibility of the contents, making inventory checks easy. Optional, adjustable intermediate shelves adapt easily to changing needs, thanks to a patented system that allows adjustments in 2.5 cm increments along the entire height of the post. Available in stationary or mobile versions, the mobile units ensure secure transportation and facilitate the cleaning of storage areas. Designed for quick assembly and shipped knocked down to reduce freight costs, the units include 12.7 cm pivoting casters without brakes.



Code	Metro mobile security cart, chrome, with casters
SEC56DC	692x1651x1726(H) mm
SEC56DC-ESD	692x1651x1726(H) mm


## Optional additional intermediate shelves

Code	Description
2460NC	Metro Super Erecta Wire Shelf, Chrome, 610x1525mm



# TRAY-CARTS

## Metro End-Load Wire Tray Cart



The SmartTray™ system is engineered to improve productivity, minimize damage during PCB handling, and provide superior ESD protection. It accommodates boards of various sizes, ensuring safe and efficient management of sensitive components.

The tray racks, made from corrosion-resistant type 304 stainless steel, are easy to clean and designed to hold up to 20 standard 46x66 cm trays. Their durability makes them perfect for demanding work environments. Additionally, the carts are compatible with all industrial cleaning devices, supporting a weight capacity of 90 kg, with up to 13.6 kg per level, ensuring efficient storage and streamlined workflow while maintaining high safety standards.

**Dimension of cart:** 55,6 x 67,6 x 175(H) cm

**Capacity:** 20 trays/cart

**Dimension of tray:** 46 x 66 cm

**Slide Spacing:** 7,6cm

Code	Description
RE3S	Metro Stainless Steel Wire Tray Rack <b>(with casters)</b>
RE3S-ESD	<b>ESD</b> Metro Stainless Steel Wire Tray Rack <b>(with casters)</b>

## Additional Tray

Code	Description
CBNTC-MTRAY	Metro ESD tray in molded fiberglass



# Top-Track System

**Increases storage capacity by up to 40% !**

Designed to maximize storage capacity and enhance operational efficiency, the Metro Top-Track™ system is the ideal solution to optimize space and simplify material handling tasks.



**1**

**MAXIMIZED STORAGE CAPACITY:**

Increases storage capacity by up to 40%, eliminating hard-to-reach or “dead” spaces with full access to every shelving unit.

**2**

**EASY ACCESS:**

The overhead track system creates a movable aisle between units, ensuring quick access to stored items while allowing easy movement for employees and utility carts.

**3**


**CLEAN AND PRACTICAL DESIGN:**

Overhead tracks simplify floor cleaning and compensate for slight floor unevenness, provided the surface is smooth and free of large cracks or obstacles.

**Increases storage capacity  
by up to 40% !**

**CONTACT US TO  
RECEIVE A  
CUSTOMIZED  
RENDERING OF  
YOUR LOGISTICS  
OR PRODUCTION  
AREA, TAILORED TO  
YOUR UNIQUE  
NEEDS!**

Metro Top-Track™ combines efficiency, versatility, and cost savings for any operation, providing optimal space organization and ease of use.



**4**

**COST SAVINGS:**

By optimizing storage space, the system reduces the need for facility expansion or new warehouse construction, making it ideal for growing businesses.

**5**

**EASY ACCESS:**

Frees up space for more profitable activities, such as production or sales areas, maximizing daily revenue potential.

Scan to watch the demo video



**ITALIAN**



**ENGLISH**



**ITECO**  
BEYOND NUMBERS



**ITECO TRADING SRL**  
Via Paisas 1  
10094 - Giaveno (TO) - ITALY

[mail@iteco.it](mailto:mail@iteco.it)  
[www.iteco.it](http://www.iteco.it)  
(+39) 0119363013